

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING**

**Product name:** B29, B200, CAP0L

**Recommended Use** Viscometer and/or density measurement equipment calibration and performance verification reference standard

**Manufacturer or supplier's details**

**Company name of supplier:** AMETEK Brookfield

**Address:** 11 Commerce Boulevard, Middleboro, MA 02346 USA

**Telephone:** (800) 628-8139

**Emergency telephone:** Domestic (US/PR/Canada/US Virgin Is); 800 255 3924  
 International (outside N. America); +(1) 813 248 0585  
 (ChemTel Inc.)

**2. HAZARDS IDENTIFICATION**

Classification


This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Acute Inhalation Toxicity - Dusts and Mists	Category 4
---	------------

GHS Label elements, including precautionary statements

**Emergency Overview**

<b>Signal Word</b> <b>Hazard Statements</b> • Harmful if inhaled	<b>Warning</b>
--	----------------

	<b>Appearance</b> Pale yellow	<b>Physical State</b> Liquid.	<b>Odor</b> Hydrocarbon-like
---	-------------------------------	-------------------------------	------------------------------

**Precautionary Statements**

**Prevention**

- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area.

**General Advice**

- None

**Inhalation**

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell.

**Storage**

- None

**Disposal**

- None

**Hazard Not Otherwise Classified (HNOC)**

Not applicable

**Other information**

May cause eye, skin, and respiratory tract irritation. Prolonged skin contact may defat the skin and produce dermatitis. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade secret
Residual oils (petroleum), solvent refined	64742-01-4	<100	*
Petroleum distillates, solvent-refined light paraffinic	64741-89-5	<100	*
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	<100	*
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	<100	*
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	<100	*
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	<100	*
Naphtha (petroleum), hydrotreated heavy	64742-48-9	<100	*
Chloroalkanes	61788-76-9	<100	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES**

**Description of necessary first-aid measures**

**Eye Contact**

Rinse thoroughly with plenty of water, also under the eyelids. Obtain medical attention if irritation persists.

<b>Skin Contact</b>	Remove and wash contaminated clothing before re-use. Wash off with warm water and soap. Get medical attention if symptoms occur.
<b>Inhalation</b>	Get medical attention IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Get medical attention.

**Most important symptoms/effects, acute and delayed**

**Most Important Symptoms/Effects** Drowsiness. Dizziness. Irritation.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** CAUTION: Use of water spray when fighting fire may be inefficient.

**Specific Hazards Arising from the Chemical**

No information available.

**Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protective equipment. Avoid contact with skin, eyes and clothing.

**Environmental Precautions**

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. See Section 12 for additional Ecological Information

**Methods and materials for containment and cleaning up**

**Methods for Containment** Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

**Methods for Cleaning Up** Clean contaminated surface thoroughly.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

Version: 1.1      Date of last issue: 06/01/2015      Revision Date: 11/07/2016      Page 4 of 9

**Handling**      Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage**      Keep away from open flames, hot surfaces and sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Products**      Strong oxidizing agents.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, solvent-refined heavy paraffinic 64741-88-4	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral STEL: TWA: 10 mg/m <sup>3</sup> , as oil mist, mineral	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral	-
Residual oils (petroleum), solvent refined 64742-01-4	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral STEL: TWA: 10 mg/m <sup>3</sup> , as oil mist, mineral	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral	-
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral STEL: TWA: 10 mg/m <sup>3</sup> , as oil mist, mineral	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral	-
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral STEL: TWA: 10 mg/m <sup>3</sup> , as oil mist, mineral	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral	-

**Appropriate engineering controls**

**Engineering Measures**      Showers  
Eyewash stations  
Ventilation systems

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection**      Safety glasses with side-shields.  
**Skin and Body Protection**      Wear protective gloves/clothing.  
**Respiratory Protection**      If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures**      Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Appearance</b>	Pale yellow.
<b>Odor</b>	Hydrocarbon-like	<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
pH	No data available	None known
Melting Point/Range	No data available	None known
Boiling Point/Boiling Range	>315 °C	None known
Flash Point	> 190 °C	Open cup

Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	No data available	None known
Specific Gravity	0.87 - 0.89	at 15 °C
Water Solubility	Insoluble in water.	None known
Solubility in other solvents	Soluble.	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	32-380 cSt @ 40°C	None known
Flammable Properties	Not flammable	
Explosive Properties	No data available	
Oxidizing Properties	No data available	
<u>Other information</u>		
VOC Content (%)	No data available	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

### Hazardous Polymerization

### Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

### Incompatible materials

Strong oxidizing agents.

### Hazardous decomposition products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

##### Inhalation

Harmful by inhalation. Inhalation of mist may cause irritation to the respiratory system.

##### Eye Contact

Contact with eyes may cause irritation.

**Skin Contact**

No known hazard in contact with skin. Prolonged skin contact may defat the skin and produce dermatitis. Prolonged or repeated contact may dry skin and cause irritation.

**Ingestion**

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, solvent-refined heavy paraffinic	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 2.18 mg/L ( Rat ) 4 h
Petroleum distillates, solvent-refined light paraffinic	> 5000 mg/kg ( Rat )	> 5 g/kg ( Rabbit )	= 2.18 mg/L ( Rat ) 4 h
Residual oils (petroleum), solvent refined	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	= 2.18 mg/L ( Rat ) 4 h
Naphtha (petroleum), hydrotreated heavy	> 5000 mg/kg ( Rat )	> 3160 mg/kg ( Rabbit )	-
Petroleum distillates, hydrotreated heavy paraffinic	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Petroleum distillates, solvent dewaxed heavy paraffinic	-	-	>4.7 mg/l (rat) 4 hr.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms**

No information available.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Sensitization**

No information available.

**Mutagenic Effects**

No information available.

**Carcinogenicity**

Contains no ingredients above reportable quantities listed as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Residual oils (petroleum), solvent refined	A2	Group 1		
Petroleum distillates, solvent-refined light paraffinic	A2	Group 1		X
Petroleum distillates, solvent-refined heavy paraffinic	A2	Group 1		X
Petroleum distillates, solvent dewaxed heavy paraffinic	A2	Group 1		X
Petroleum distillates, hydrotreated heavy paraffinic	A2	Group 1		X
Petroleum distillates, hydrotreated heavy naphthenic	A2	Group 1		X
Chloroalkanes		Group 2B		X

**Reproductive Toxicity**

No information available.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Chronic Toxicity**

Prolonged skin contact may defat the skin and produce dermatitis. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination.

**Target Organ Effects**

Respiratory system. Eyes. Skin. Central nervous system (CNS).

**Aspiration Hazard**

No information available.

**Numerical measures of toxicity - Product**

**dust/mist**

2.18 mg/L; (ATE Mix)

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

The environmental impact of this product has not been fully investigated.



Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, solvent-refined heavy paraffinic 64741-88-4		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, solvent-refined light paraffinic 64741-89-5		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Residual oils (petroleum), solvent refined 64742-01-4	-	> 5000 mg/L: LC50 96 h (Oncorhynchus mykiss)	-	EC50 48 h: > 1000 mg/L (Daphnia magna)
Naphtha (petroleum), hydrotreated heavy 64742-48-9		LC50 96 h: = 2200 mg/L (Pimephales promelas)		LC50 96 h: = 2.6 mg/L (Chaetogammarus marinus)
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

**Other Adverse Effects**  
No information available.

### 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** Dispose of in accordance with federal, state, and local regulations

**Contaminated Packaging** Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

**Note:** The information provided below may not apply to all shipping situations. Consult appropriate Dangerous Goods Regulations for additional requirements and mode-specific, material-specific, or quantity-specific shipping requirements.

**DOT** Not regulated

**IATA** Not regulated.

**IMDG/IMO** Not regulated.

### 15. REGULATORY INFORMATION

#### International Inventories

**TSCA** Not determined  
**DSL** Complies  
**EINECS** Not determined



**SAFETY DATA SHEET**  
**General Purpose Viscosity Standard**  
**Petroleum Oil – 010**

Version: 1.1

Date of last issue: 06/01/2015

Revision Date: 11/07/2016

Page 8 of 9

ELINCS	Not determined
ENCS	Not determined
IECSC	Not determined
KECL	Not determined
PICCS	Not determined
AICS	Not determined

**Legend**

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
- ENCS - Japan Existing and New Chemical Substances
- IECSC - China Inventory of Existing Chemical Substances
- KECL - Korean Existing and Evaluated Chemical Substances
- PICCS - Philippines Inventory of Chemicals and Chemical Substances
- AICS - Australian Inventory of Chemical Substances

**U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**U.S. State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Chloroalkanes				X	
Petroleum distillates, solvent-refined heavy paraffinic				X	
Petroleum distillates, solvent-refined light paraffinic		X		X	
Petroleum distillates, hydrotreated heavy naphthenic				X	
Petroleum distillates, hydrotreated heavy paraffinic				X	
Petroleum distillates, solvent dewaxed heavy paraffinic				X	





**SAFETY DATA SHEET**  
**General Purpose Viscosity Standard**  
**Petroleum Oil – 010**

Version: 1.1

Date of last issue: 06/01/2015

Revision Date: 11/07/2016

Page 9 of 9

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard 1	Flammability 1	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 1	Flammability 1	Physical Hazard 0	Personal Protection X

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**